



**Kingsley Close  
Lee Mill Industrial Estate  
Ivybridge, Devon. PL21 9LL  
Call 0845 124 9955  
Fax 0845 125 9955**

**Industrial Products LTD** [Sales@mipl.org.uk](mailto:Sales@mipl.org.uk)  
[www.office-furniture.org.uk](http://www.office-furniture.org.uk)



For price guide and optional extras, see pages 154 to 161.

Environment

## D.LIMIT screens




### Available in 2 heights :

- Height 115 cm :
- Standard screens in a choice of two widths : 80 and 120 cm
- Height 160 cm :
- Standard screens in a choice of four widths : 80, 100, 120 and 140 cm
- 1/3 glazed screens in a choice of three widths : 80, 120 and 140 cm
- Curved glazed screens (curve radius : 84 cm)

Thickness : 6 cm  
Frames in an aluminium finish.

### Panels available in 3 versions :

- fabric panels made from Cellotex foam for effective soundproofing,
  - standard glazed panels made from clear "Sécurité" toughened glass ( 4 mm thick),
  - curved glazed panels made from perspex.
- Optional : 90° screen link uprights, multi-angle screen link uprights, wall brackets, stabilizer plates and sets of castors.





Height 160 cm. Width 80 or 120 cm.  
Thickness 4.3 cm.

Pinnable panels made from cellulose foam covered in blue (FOT) or grey (FOS) fabric available from stock or in a choice of 9 other fabrics available on request (see opposite). Glazed sections in toughened glass, 4 mm thick, with ground top edges, or in ribbed polycarbonate, 6 mm thick, with top edges in aluminium. Uprights, plinths and supporting bars in natural anodised aluminium.

A fabrics - available from stock  
FOT FOS

B fabrics - allow 5 weeks for delivery.  
CAP CAR CCA CCY CCU CIA CST CTO CWJ

**modular**  
screens





## privacy panels

Height 160 cm. Width 120 cm.

Available in 2 versions :

- pinnable panels covered in grey (FOS) or blue (FOT) fabric.
- 19 mm thick melamine-faced panels in a natural beech (HE) finish.

The graphite grey uprights are designed in such a way as to enable panels to be joined together in a straight line or at an angle of 90°.



Optional uprights, see opposite.



Panel link system

Optional uprights - to be placed on either side of the panel